EXDUL-381E

EDP-No.: A-381772

EXDUL-381S

EDP-No: 381760

8 A/D inputs 16-bit (single ended) or 4 A/D inputs16-bit (differential) 8 D/A outputs16-bit 8 optocoupler isolated digital inputs 2 optocoupler isolated digital outputs 5 counters 32 bit LCD display (EXDUL-381E only)





Copyright® 2019 by Messcomp Datentechnik GmbH

This documentation is copyright by Messcomp Datentechnik GmbH. All rights are reserved.

Messcomp Datentechnik GmbH reserves the right to modify the products described in this manual at any time and without preannouncement.

No parts of this manual are allowed to be reproduced, copied, translated or transmitted in any way without prior written consent of Messcomp Datentechnik GmbH.

Registered Trademarks

Windows®, Visual Basic®, Visual C++®, Visual C#® are registered trademarks of Microsoft.

wasco® is registered trademark.

EXDUL® is registered trademark. LabVIEW® is registered trademark. Other product and company names mentioned may be trademarks of their respective owners

Disclaimer

The information in this manual is intended to be accurate and reliable. The company Messcomp Datentechnik GmbH does not assume any liability for any damages arising out of the use of the A/D converter module EXDUL-381 and this documentation, neither for direct nor indirect damages.

Important Information:

This manual was made up for the modules EXDUL-381E and EXDUL-381S. EXDUL-381E additionally provides an LCD display, all other functions are identical. For the EXDUL-381S all commands and functions concerning the LCD display are not applicable.



Table of Contents

1.	Introduction	5
2.	Connection Terminals	F
	2.1 Terminal Assignments of CN1	
	· ·	
3.	System Components	
	3.1 Block Diagram EXDUL-381E	
	3.2 Block Diagram EXDUL-381S	
	3.3 A/D Inputs	
	3.4 Optocoupler Inputs	
	3.5 Optocoupler Outputs	
	3.6 Counters	
	3.7 LOD Display (Office EXDOL-361E)	
1	Deployment	10
⊸.	4.1 Connecting to a USB Port	
	4.2 Power Supply via USB Port	
	4.3 External Power Supply	
	4.4 LCD Display during Commissioning (EXDUL-381E only)	
	4.5 LCD display during operating (EXDUL-381E only)	
5.	8 A/D Inputs 16 Bit	
	5.1 Single ended Operation	
	5.2 Differential Operation	
	5.3 Combination of single ended and differential Measurement	
	5.4 Input Voltage Range	
	5.5 Modes of Measurements	
	5.6 Adjustifient of the A/D inputs	10
6	8 Optocoupler Inputs	10
٠.	6.1 Pin assignment of the input optocouplers	
	6.2 Input Circuitry	
	6.3 Input Current	
7.	2 Optically Isolated Outputs	21
	7.1 Pin assignment of the output optocoupler	21
	7.2 Optocoupler specifications	
	7.3 Output circuitry	21



8.	Information, LCD and User Register	22
	8.1 Register HW Identification and Serial Number	
	8.2 Memory Spaces UserA, UserB, UserLCD1m* and UserLCD2m*	
	8.3 Display Register UserLCD-line1*, UserLCD-line2* and LCD Contrast*	
9.	Driver Installation	24
	9.1. Windows Driver	24
	9.2 Linux Driver	24
10.	Programming under Windows®	25
	10.1 Introduction	25
	10.2 Modes of Programming	
	10.3 Programming under Windows using the .NET EXDUL.dll Library	25
	10.4 Programming with Serial COM Port Libraries	
	10.5 Access to the Module via LabVIEW and EXDUL.dll	67
11	Programming under Linux®	68
	11.1 Introduction	68
	11.2 Programming with serial COM Port Libraries	
	The Frogramming with contained with one electronic minimum.	
12.	Specifications	69
13.	Circuitry Examples	
	13.1 Wiring of the Optocoupler Inputs	
	13.2 Wiring of the Optocoupler Outputs	
	13.3 Wiring of the A/D Inputs single ended	74
	13.4 Wiring of the A/D Inputs differential	75
14.	ASCII Table	76
-		
15.	Product Liability Act	79
16.	CE Declaration of Conformity	81



1. Introduction

The module EXDUL-381 provides either eight single ended or four differential 16-bit A/D input channels. Several bipolar input voltage ranges (+/-0.63 V, +/-1.27 V, +/-2.55 V, +/-5.1 V, +/-10.2 V) can be adjusted. The conversion process including the associated configuration of the A/D components (selection of range and channel) is triggered by software commands. Additionally the module provides eight digital inputs and two digital outputs which are galvanically opto-isolated by high-quality optocouplers and are equipped with additional protection diodes. Special high power output optocouplers cope with a switching current up to 150 mA.


The USB Interface or an external power supply powers the module with the required operating voltage. If required, five of the optocoupler inputs can be programmed and used as 32-bit counter inputs. The programmable LCD display presents either digital and analog I/O status information or programmable user-specific data.

The module provides a 24-pin screw terminal block for connecting the power supply and the analog/digital inputs and outputs. The compact chassis enables the module to be used as a portable device with a notebook. For mechanical or control engineering it can also be easily wall mounted or attached to DIN mounting rail.



2. Connection Terminals

2.1 Terminal Assignments of CN1



Vcc EXT:

Connector for external voltage source

GND_EXT:

Ground connection when using external voltage source



3. System Components

3.1 Block Diagram EXDUL-381E




Fig. 3.1 Block diagram EXDUL-381E



3.2 Block Diagram EXDUL-381S




Fig. 3.2 Block diagram EXDUL-381S



3.3 A/D Inputs

8 inputs single-ended (se)

or 4 inputs differential (diff)

or combined se/diff software-selectable

Resolution: 16 bit

Input voltage ranges bipolar:

+/-0.63 V, +/-1.27 V, +/-2.55 V, +/-5.1 V, +/-10.2 V,

+/-20.4V (differential inputs only) FIFO: 10,000 measuring values

Input resistor: > 500 M Ω

Over voltage protection: +/- 50V Sampling rate: max 100 kS/s

3.4 Optocoupler Inputs

8 channels, bipolar
Over voltage protection diodes
Input voltage range
high = 10..30 Volt
low = 0..3 Volt

3.5 Optocoupler Outputs

2 channels

High capacity optocoupler Reverse polarity protection Output current: max. 150 mA Switching voltage: max. 50 V

3.6 Counters

5 programmable counters 32 bit (occupying five optocoupler inputs) Counting frequency: max. 5 kHz

3.7 LCD Display (only EXDUL-381E)

Matrix display with 2 lines and 16 columns displaying 16 characters each line

Programmable to display user specific data or I/O state



4. Deployment

Connecting to a computer is made quick and easy in a Plug-and-Play manner via USB interface. The module is powered with the required operating voltage via the USB port or via an external voltage source.

4.1 Connecting to a USB Port

The EXDUL-381E / EXDUL-381S provides a USB 2.0 interface and can be connected directly to the computer or to a USB hub using the enclosed USB connecting cable. The connection supports hot-plug function, that means, it is possible to connect the module even during the system is operating.

4.2 Power Supply via USB Port

If required, it is possible to power the module EXDUL-381 via the USB port exclusively without limitations. For this, it must be ensured that the PC can supply 500mA via the USB interface.

4.3 External Power Supply

EXDUL-381E / EXDUL-381S firmware automatically detects when an external voltage source is connected. Applying a voltage between +10V and +30 V across Vcc_EXT and GND_EXT (see figure terminal assignments) immediately causes the device to switch to "external" source. The power supply from the USB port is automatically interrupted.

Attention: You must not change the mode of power supply during operation!

4.4 LCD Display during Commissioning (EXDUL-381E only)

During commissioning or at start of the module, the display shows an information representing the module name. After 5 seconds, the module name is replaced by either I/O status display or UserLCD display, depending upon the LCD display configuration.



4.5 LCD display during operating (EXDUL-381E only)

Starting the module the display switches from the info display to the digital I/O status display or the UserLCD display after approx. five seconds depending upon the LCD display configuration. When I/O status display is selected, line1 shows the current input states, line2 the output states. If the UserLCD modus was activated by calling the intended command before the last shutdown of the system, the values from the memory areas UserLCD1m and UserLCD2m are shown instead of the I/O status display. Data from both of the registers are displayed until new user data is written to the display UserLCD line1 and UserLCD line2. To avoid "screen-burn" while in operation the display switches from I/O status or UserLCD display to info display for approximately five seconds every minute.



5. 8 A/D Inputs 16 Bit

The EXDUL-381 provides 8 multiplexed single ended or 4 16-bit A/D input channels with programmable input voltage range. When the conversion is triggered, the computer will transfer configuration data for conversion (channel, range) in the form of two bytes. After error corrections (such as offset errors) the module transmits the measured value transformed in a voltage value in μV as a response or stores it to a FIFO.

5.1 Single ended Operation

In single ended operation mode, a maximum of 8 input channels are available. All input voltage ranges are measured against the ground (ADGND) of the A/D components (see figure 5.1). Find a more detailed description of the circuitry in chapter 10.4




Figure 5.1 A/D converter single ended

As mentioned before, one byte for channel selection will be added to the command for measuring the voltage.

Please see table 5.1 to choose the appropriate channel for each value when single ended measuring is employed.



Channel Byte		Channel selection single ended								
	1	2	3	4	5	6	7	8	ADGND	
Odez	+								-	
1 _{dez}		+							-	
2 _{dez}			+						-	
3 _{dez}				+					-	
4 _{dez}					+				-	
5 _{dez}						+			-	
6 _{dez}							+		-	
7 _{dez}								+	-	

Table 5.1 A/D Converter Single-ended Measurement

For example, for a single ended measurement of channel 3, the positive pole of the voltage source has to be connected to AIN02 and the negative pole to ADGND. The channel byte of the command then is 2_{dez} .

5.2 Differential Operation

In differential operation mode, a maximum of 4 input channels are available. In differential mode each channel provides one positive and one negative input (see figure 5.2-1). Please note, all channels must be referenced to

ground (ADGND) as well. Find a more detailed description of circuitry in chapter 10.5.

The differential measurement can reduce generally occurring interference voltages on both of the signal lines and the analog ground.




Figure 5.2-1 A/D converter differential measurement



Here too, the channel is selected via the channel byte added to the command for measuring the voltage. You can find the corresponding values in following table:

Channel Byte			election	ction					
	1	2	3	4	5	6	7	8	AGND
8 _{dez}	+	-							
9 _{dez}	-	+							
10 _{dez}			+	-					
11 _{dez}			-	+					
12 _{dez}					+	-			
13 _{dez}					-	+			
14 _{dez}							+	-	
15 _{dez}							-	+	

Table 5.2 AD converter differential measurement

Serving as an example now the difference between two voltages shall be measured at the inputs AIN05 and AIN06. For this you have to connect the first voltage to AIN05 and the second one to AIN06 (see figure 5.2-2).

Now either the value 12_{dez} (AIN05+ / AIN06-) or 13_{dez} (AIN05- / AIN06+, the result is a negative differential voltage) can be used as the channel byte.




Fig. 5.2-2

Attention:

Please make sure that the difference between the inputs is whithin the input voltage range.

An input voltage of +10V at AIN05 and an input voltage of -10V at AIN06 would result in a difference of +20V, i.e. an input voltage range of +/- 20.4V has to be chosen (see chapter 5.4)



5.3 Combination of single ended and differential Measurement

If required, the measurement methods can also be varied channel by channel as in fig. 5.3 or even changed "on the fly" between the individual measurements.



Fig. 5.3

5.4 Input Voltage Range

To measure a voltage several input voltage ranges are available (+/-0.63 V, +/-1.27 V, +/-2.55 V, +/-5.1 V, +/-10.2 V). This permits the range to be adjusted to the input signal, thus optimizing the measuring accuracy.

Along with the measuring command, the computer sends a range byte to the module to select the required voltage range.

Following the individual ranges and the corresponding byte values are listed:

Input Voltage Range									
Byte Value	Voltage								
0	+/- 20.4V (differential measuring only max +/- 10.2V → GND)								
1	+/-10.2V								
2	+/- 5.1V								
3	+/-2,55V								
4	+/-1.27V								
5	+/- 0.63V								

Table 5.4 A/D converter input voltage ranges



a) Single-Ended Measurement

As shown in Fig. 5.4.1, when measuring single-ended the input signal is referenced to ground. The maximum or minimum voltage to be measured at a voltage range of +/- 10.2V is +10.2V and -10.2V respectively.




Fig. 5.4.1

Attention: since the maximum voltage to be measured at the analog input (e.g. AIN00+) is 10.2V, a voltage range of +/- 20.4V is not available for a single-ended measurement!

b) Differential measurement

For differential measurements, the input voltage range used corresponds to the maximum difference between the selected inputs. For this, as shown in Fig. 5.4.2, an input voltage range of +/-0.63V can be chosen, although at the inputs a voltage of up to +/-10.2V is applied.





Fig. 5.4.2

When using differential measurement, in contrast to the single-ended measurement there is also an input voltage range of +/- 20.4V.

Attention: For an input voltage range of +/-20.4V the maximum or minimum input voltage of +10.2V resp. -10.2V is true. Only the difference between two inputs may be +20.4V or -20.4V (e.g. AIN00 = +10.2V and AIN01 = -10.2V, V_{diff} = 20.4V)



EXDUL-381E / EXDUL-381S © 2019 by Messcomp Datentechnik GmbH



5.5 Modes of Measurements

To facilitate the application, the EXDUL-381 provides several modes of measurement.

5.5.1 Single voltage measurement

In the single measurement, upon receiving the appropriate command, the module runs a measurement on the selected input, calibrates it and provides the value in μV in response to the user.

5.5.2 Single voltage measurement with averaging

In this measurement mode, the module runs 32 measurements at the user-selected input at intervals of 10 μs each, forms an average, calibrates the measurement and provides the result in μV to the user.

This measurement mode is particularly suitable for smaller input voltage ranges in order to suppress interferences such as noise.

5.5.3 Block measurement with averaging

This measurement mode is intended for applications, in which voltages at several inputs are to be measured as precisely as possible and in a timely manner. When transferring the command to the module, the selected channels (up to 8) with the respective voltage range are transferred. Upon receipt of the command, the module starts sampling each selected channel successively 32 times in 10µs increments.

Duration = Number of channels*32*10µs

After completion, the values are calibrated and returned to the user in µV.

Example:





In this example, three channels are to be sampled (e.g. AIN01+, AIN03+, AIN05+). These channels are transferred along with the command, and the module starts running 32 measurements of the first channel (here AIN01+). As soon as the measurements of the first channel have been completed, the sampling of the second channel is started. Once all of the channels have been sampled (duration here $960\mu s = number$ of channels* $32*10\mu s$), offset and gain errors are calibrated and the voltages in μV are transferred.

5.5.4 Multiple measurement

In the multiple measurement mode, up to 8 channels can be sampled several times (up to 65,535 times). Along with the command, the desired sampling rate (1 - 100kS/s) and the desired channels with the respective voltage range are transmitted. After receiving the command the module runs the measurements and stores the calibrated values in μV into the FIFO. These values can be retrieved from the FIFO at any time. It is important to ensure that the FIFO does not overflow. Additionally, you must not write to any EXDUL information register during this period.

5.5.5 Continuous measurement

In the continuous measurement mode, up to 8 channels with any measuring range and up to 100kS/s can be sampled in continuous operation. For this purpose, there is a start and a stop command. The calibrated measured values in μV are written to the FIFO and can be retrieved from there at any time. It is important to ensure that the FIFO does not overflow. Additionally, you must not write to any EXDUL information register during this period.

5.6 Adjustment of the A/D Inputs

The module is adjusted at an ambient temperature of approx. 20°C at the final test of our production. If there are larger temperature deviations at the end application, the A/D component can be adapted to the environment by subsequent adjustment. The required software is provided on the enclosed CD or on the Internet.



6. 8 Optocoupler Inputs

The EXDUL-381 provides 8 input channels, each of which is optically isolated by optocouplers. The isolation voltage between the ground of the computer and input is 500 volts. The voltage within the input channels is limited to 50 volts.

6.1 Pin assignment of the input optocouplers




Fig. 6.1



6.2 Input Circuitry




Fig. 6.2

6.3 Input Current


$$I_E \approx \frac{U_E - 1,1V}{3200\Omega}$$



7. 2 Optically Isolated Outputs

The EXDUL module provides 2 output channels, which are optically isolated by optocouplers. The isolation voltage between the ground of the computer and output is 500 volts.


7.1 Pin assignment of the output optocoupler



7.2 Optocoupler specifications

Voltage collector-emitter: max. 50V Voltage emitter-collector: 0,1V Current collector-emitter: 150 mA

7.3 Output circuitry





8. Information, LCD and User Register

8.1 Register HW Identification and Serial Number

Byte	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HW	Е	Х	D	U	L	-	3	8	1			V	1		0	1
Identification	45 _{hex}	58 _{hex}	44 _{hex}	55 _{hex}	4C _{hex}	2D _{hex}	33 _{hex}	37 _{hex}	31 _{hex}	20 _{hex}	20 _{hex}	56 _{hex}	31 _{hex}	3E _{hex}	30 _{hex}	31 _{hex}
C/NI	1	0	4	4	0	2	6									
S/N	31 _{hex}	30 _{hex}	34 _{hex}	34 _{hex}	30 _{hex}	32 _{hex}	36 _{hex}									

Table 8.1 Register HW identification and serial number

The module name as well as the firmware version are stored in the HW identification register and can be used to verify the product identity by the user. The table above serves as an example as for module EXDUL-381with firmware version 1.01. The line HW identification shows each Hex value and the corresponding ASCII character.

The register Serial Number is a read-only register. The serial number in the table above serves as a format example. The line S/N shows each Hex value and the corresponding ASCII character as for the serial number 1044026.



8.2 Memory Spaces UserA, UserB, UserLCD1m* and UserLCD2m*

Byte	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
UserA																
USEIA	20 _{hex}															
UserB																
USEID	20 _{hex}															
UserLCD1m*																
OSCILCUIII	20 _{hex}	20 _{hex}	20 _{hex}	20 _{hex}	20_{hex}	20 _{hex}										
UserLCD2m*																
	20 _{hex}	20 _{hex}	20 _{hex}	20 _{hex}	20_{hex}	20 _{hex}										

Each of the registers UserA and UserB hold 16 digits (16 byte) for customizing. The data is retained when you switch off, registers can be set back to their factory settings (delivery state) by a default reset. In delivery state in all of the user memory areas each digit is set to the Hex value 20 corresponding to a blank in ASCII code.

The table above shows each Hex value and the corresponding ASCII character.

8.3 Display Register UserLCD-line1*, UserLCD-line2* and LCD Contrast*

If UserLCD mode is activated you can write to both of the UserLCD-line1 and UserLCD-line2 registers any 16 characters. Once entered this will be displayed instead of the data from UserLCD1m* and UserLCD2m*. The data in the registers UserLCD-line1 and UserLCD-line2 are **not** stored when switching off.

You can adjust the LCD display contrast in register LCD contrast. This adjustment is retained when switching off.

^{*:} EXDUL-381E only, not applicable with EXDUL-381S!



9. Driver Installation

9.1. Windows Driver

Attention: as of Windows10 no special driver needs to be installed for the module!

When you connect the USB module EXDUL-381E / EXDUL-381S to your PC for the first time, Windows® automatically detects a new hardware and searches for a suitable driver.

To install the driver type the folder or the directory and the name of the setup file "wascoxmfe_v0x.inf" to the Windows Hardware Wizard (type the number of the INF file instead of x, for example wascoxmfe_v06.inf)

Having updated the driver database the hardware wizard will inform you of the successful driver installation.

The Windows® Device Manager will now show your USB module EXDUL-381E / EXDUL-381S as a "Wasco-USB-Kommunikationsport COMx" in its directory connections tree (COM/LTP). All Windows® software can access the virtual interface as if it were a real COM port.

9.2 Linux Driver

The EXDUL-381 is using a default COM Port Driver, which is already installed in the most common Linux distributions.

When the module is connected to USB interface the module will be listed in the folder dev (e.g. as ttyACM0 under Ubuntu).



10. Programming under Windows®

10.1 Introduction

After successful installation the USB module EXDUL-381E / EXDUL-381S is listed as "Wasco-USB-Kommunikationsport COMx" in the Windows® Device Manager. This is a CDC device (Communications Device Class), that is addressed via a virtual COM port.

This virtual COM port operates like a normal COM interface and can be accessed by default Windows® drivers, there is no need to install any additional drivers.

10.2 Modes of Programming

There are several ways to access to the EXDUL module. So the library EXDUL.dll can be used for programming under Windosw and .NET. This allows a quick and easy start to program the access to the module. Furthermore, you can use Com Port libraries which are available in many programming languages such as C or Delphi. They often allow a wide range of interface settings and in parts also an event programming (read buffer does not need to be polled).

LabVIEW user also easily can access to the module using the EXDUL.dll or VISA functions blocks (Serial Port).

10.3 Programming under Windows using the .NET EXDUL.dll Library If you use a .NET programming language (C#, C++, .NET or VB.NET) to access to the module, you can use the EXDUL.dll Library. It is structured object-oriented, so each EXDUL module is represented by an object with its methods.

Developing the library, special regard was paid to an API between the different EXDUL modules as uniform as possible. This facilitates the user, if necessary, to switch from e.g. a USB EXDUL module to an Ethernet EXDUL module (for example EXDUL-381 -> EXDUL-581) without extensive programming efforts.



Open:

bool Open()

Returned values: true if successful / false at error

Description: Establishes the connection to the module

.....

Close

void_Close()

Description: Closes the connection to the module

Write to Info register:

void SetModulInfo (byte type, string info)

Parameter: type: Info Type (see manual)

info: Info string with up to 16 characters

Description: writes to the information registers

Info Area	Info Byte
UserA	0
UserB	1

Read Info Register:

string GetModulInfo(byte type)

Parameter: type: Info-Typ (see manual)

Returned values: Returns the register "type" as a string
Description: Reads the Module Information Register

Info Area	Info Byte
UserA	0
UserB	1
Hardware Identifier	3
Serial Number	4



Write to LCD Register UserLCD:

void SetUserLCD(byte line, string text)

Parameter: line: 0 = 1st line / 1 = 2nd line

text. LCD text up to 16 characters long

Description: Writes to the UserLCD registers. The parameter

line determines the line (0 or 1) and text the

text of 16 characters.

Write to LCD-Register UserLCDm:

void SetUserLCDm(byte line, string text)

Parameter: line: 0 = 1st line / 1 = 2nd line

text. LCD text up to 16 characters long

Description: Writes to the UserLCDm registers. The parameter

line determines the line (0 or 1) and text the

text of 16 characters.

.....

Write the LCD-Mode:

void SetLCDMode(byte mode)

Parameter: mode: LCD mode
Description: sets the LCD mode

LCD Mode	LCD Mode Byte
IO Mode	0
User Mode	1



Read the LCD Mode:

byte GetLCDMode()

Returned values: LCD-Mode

Description: Reads the LCD mode

LCD Mode	LCD Mode Byte
IO Mode	0
User Mode	1

Write the LCD Contrast Value:

void SetLCDContrast(ushort contrast)

Parameter: contrast: Values between 0 and 4095

(recommended 800 to 1800)

Description: Sets the LCD contrast

Read the LCD Contrast Value:

ushort GetLCDContrast()

Returned values: LCD contrast

Description: Reads the LCD contrast

.....



R	hsa	the	Ont	auooo	l۵r	Outpu	ıte:
П	eau	uie	ODU	ocoup	ıeı	oulbu	ILS.

uint GetOptoOut()

Returned values: State of the optocoupler outputs
Reads the state of the optocouple

Description: Reads the state of the optocoupler outputs

Write the Optocoupler outputs:

void SetOptoOut(uint value)

Parameter: value: state of the outputs
Description: Sets the optocoupler outputs

Read the Optocoupler inputs:

uint GetOptoIn()

Returned values: current state of the optocoupler inputs
Description: Reads the current state of the opto

Reads the current state of the optocoupler

inputs

Start Counter:

void StartCounter(byte index)

index: Counter index Parameter:

Description: Starts the counter with the number index

Stop Counter:

void StopCounter(byte index)

index: Counter index Parameter:

Description: Stopps the counter with the number index



Reset Counter:

void ResetCounter(byte index)

Parameter: index: Counter index

Description: Sets the counter reading of the counter with

the number index back to 0

.....

Read Counter:

uint ReadCounter(byte index)

Parameter: *index*: Counter index Returned values: Counter reading

Description: Reads the counter reading of the counter with

the number index

Read Overflow Flag:

bool ReadOverflowFlagCounter(byte index)
Parameter: index: Counter index

Returned values: Overflow flag false = no Overflow

true = Overflow

Description: Reads the Overflow Flag of the counter with

the number index

.....

Reset Overflow Flag:

void ResetOverflowFlagCounter(<u>byte</u> index)
Parameter: index: Counter index

Description: Resets the Overflow Flag of the counter with

the number index

.....



AD Single Measurement:

int GetADC(byte channel, byte range)

Parameter: channel: Channel

range: Measurement range

Returned values: Measured value in μV

Description: Performs an ADC measurement.

Channel:

Channel byte
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V



AD Single measurement averaging 32 measurements:

public int GetADC_Mean(byte channel, byte range)

Element of EXDUL.EXDUL381

Parameter: channel: Channel

range: Measurement range

Returned values: Measured value in µV

Description: Performs an ADC measurement averaging 32

single measurements.

Channel:

Channel	Channel byte
Single Ended	
AIN00	0
AIN01	1
AIN02	2
AIN03	3
AIN04	4
AIN05	5
AIN06	6
AIN07	7
Differential measuring	
AIN00+ / AIN01-	8
AIN00- / AIN01+	9
AIN02+ / AIN03-	10
AIN02- / AIN03+	11
AIN04+ / AIN05-	12
AIN04- / AIN05+	13
AIN06+ / AIN07-	14
AIN06- / AIN07+	15

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V



AD block measurement with averaging:

int[] GetADC_BlockMean(EXDUL.ADC_CHANNEL_CONFIG_1[] config)

Parameter: config:

Returned values: Measured value in µV

Description: Performs an ADC block measurement over

several channels (see manual)

Channel:

Channel	Channel byte
Single Ended	
AIN00	0
AIN01	1
AIN02	2
AIN03	3
AIN04	4
AIN05	5
AIN06	6
AIN07	7
Differential measuring	
AIN00+ / AIN01-	8
AIN00- / AIN01+	9
AIN02+ / AIN03-	10
AIN02- / AIN03+	11
AIN04+ / AIN05-	12
AIN04- / AIN05+	13
AIN06+ / AIN07-	14
AIN06- / AIN07+	15

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V



Reset ADC-FIFO:

void ResetFIFO()

Description This command performs a reset of the FIFO.

This shoud be done after an overflow.

.....

Read ADC-FIFO Overflow flag:

bool ReadOverflowFlagFIFO()

Returned values: Overflowflag false = no Overflow / true = Overflow Description: Reads the overflow flag of the ADC FIFO. Along

with the readout, the overflow flag is reset

automatically.

Readout ADC-FIFO:

int[] ReadFIFO()

Returned values: Returns an array with the measured values. The

size of the array depends on the number of

measurements

Description: Reads the ADC-FIFO



AD Multiple Measurement

int[] GetADC_Multi(ushort counts, uint samplerate, EXDUL.ADC CHANNEL CONFIG 1[] config)

Parameter: counts: number of measurements

samplerate: sampling rate config: channel configurations

Returned values: Measured value in μV

Description: performs an ADC multiple measurement over one

or more channels. The measured values can be

retrieved by the function ReadFIFO.

Channel:

Channel	Channel byte	
Single Ended		
AIN00	0	
AIN01	1	
AIN02	2	
AIN03	3	
AIN04	4	
AIN05	5	
AIN06	6	
AIN07	7	
Differential measuring		
AIN00+ / AIN01-	8	
AIN00- / AIN01+	9	
AIN02+ / AIN03-	10	
AIN02- / AIN03+	11	
AIN04+ / AIN05-	12	
AIN04- / AIN05+	13	
AIN06+ / AIN07-	14	
AIN06- / AIN07+	15	

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V



Start AD Continuous sampling

void StartADC(uint samplerate,

EXDUL.ADC CHANNEL CONFIG 1[]config)

Parameter: sampling rate

config: channel configurations

Description: Starts an ADC continuous sampling over one

or more channels. The measured values can be retrieved by the function ReadFIFO. The function StopADC is needed to stop the continuous

sampling.

Channel:

Channel	Channel byte
Single Ended	
AIN00	0
AIN01	1
AIN02	2
AIN03	3
AIN04	4
AIN05	5
AIN06	6
AIN07	7
Differential measuring	
AIN00+ / AIN01-	8
AIN00- / AIN01+	9
AIN02+ / AIN03-	10
AIN02- / AIN03+	11
AIN04+ / AIN05-	12
AIN04- / AIN05+	13
AIN06+ / AIN07-	14
AIN06- / AIN07+	15

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V



Stop AD Continuous Samplin	Stop A	D Cor	ntinuous	Samp	ling
----------------------------	--------	-------	----------	------	------

void StopADC()

Description: Ends an ADC continuous sampling

.....

Factory Reset: void DefaultReset()

Description: Resets the module to the factory settings. After

this command the module has to be shut down

and restarted again.

.....



10.4 Programming with Serial COM Port Libraries

Due to the access to the module via standard COM Port libraries, you can program your application across a variety of languages. So under Windows, you can use Delphi or Java besides the .Net Framework. Also on Linux based operation systems applications can be designed (in case a virtual COM Port driver is available).

10.4.1 Communicating with the EXDUL-381

Data is exchanged by transmitting or receiving byte arrays of variable length via the virtual COM interface.

Each permitted transmission string is replied by a defined result or confirmation string.

The last result or confirmation string has to be read before transmitting a new string.




Fig. 10.4 Communication model



10.4.2 Windows® Functions for Programming

You can program EXDUL-381E / EXDUL-381S either via WIN32 API functions or very conveniently via an already existing serial port object in a programming language. You can find example programs in your installation directory on your computer after having installed the software.

Windows® functions for programming:

- CreateFile
- GetCommState
- SetCommState
- WriteFile
- ReadFile
- DCB structure (describes the control parameter of the device)

10.4.3 Command and Data Format

Data is exchanged by transmitting and receiving byte arrays. Each byte array to be transmitted or received consists of at least 4 bytes. The first three bytes perform the command and the fourth byte indicates the number of the following 4 byte blocks.

Command Command Byte 0 Byte 1	Command Byte 2	Length Byte
-------------------------------	-------------------	-------------

The number of the 4 byte blocks varies from command to command and depends in part on the volume of data to be transmitted. More detailed information can be found in the individual command descriptions



10.4.4 Command Overview

Hexcode	Representing
0C 00 00	Read and write info register
0C 00 03	Read and write LCD register
08 00 00	Read and write optocoupler outputs
08 00 01	Edit optocoupler inputs
0A 00 00	AD Single measurement
0A 00 01	AD Single measurement with averaging
0A 00 02	AD block measurement with averaging
0A 00 06	AD FIFO Reset
0A 00 07	AD FIFO read out overflow flag
0A 00 08	Read out AD FIFO
0A 00 09	AD Multiple measurement
0A 00 0A	Start AD continuous sampling
0A 00 0B	Stop AD continuous sampling
09 00 00	Counter0
09 00 01	Counter1
09 00 02	Counter2
09 00 03	Counter3
09 00 04	Counter4



10.4.5 Structure of Commands

Write to information register

The EXDUL module provides several writable information registers. UserA/B are two 16-byte spaces for the user to store information into a non-volatile memory (FLASH). The registers are writable only as a whole 16-byte block.

Info Space	Info Byte
UserA	0
UserB	1

Example: enter character string EXDUL-381 into register UserA and UserB

Byte	Transmit	Receive	Representing	
0	0C	0C	Command code 1st Byte	
1	00	00	Command code 2nd Byte	
2	00	00	Command code 3rd Byte	
3	05	00	Lenght prefix byte => 20 Byte	
4	00 (UserA) 01 (UserB)		Info byte	
5	00		reserved	
6	00		reserved	
7	00		Info space of write operation	
8	45		Data 1st character Easci	
9	58		Data 2nd character X _{asci}	
10	44		Data 3rd character Dasci	
11	55		Data 4th character Uasci	
12	4C		Data 5th character Lasci	
13	2D		Data 6th character -asci	
14	33		Data 7th character 3asci	
15	38		Data 8th character 8asci	
16	31		Data 9th character 1 _{asci}	
17	20		Data 10th character [blank]asci	
18	20		Data 11th character [blank]asci	
19	20		Data 12th character [blank]asci	
20	20		Data 13th character [blank]asci	
21	20		Data 14th character [blank]asci	
22	20		Data 15th character [blank]asci	
23	20		Data 16th character [blank]asci	



Reading from the information registers

The EXDUL module provides several 16-byte wide information areas which hold module information such as serial number or Hardware identifier. Additionally, the user can also read out the writable user registers.

Info Area	Info Byte
UserA	0
UserB	1
Hardware ID	3
Serial Number	4

Information: All of the information areas can only be read as a whole 16-byte block.

Example: Read information area UserA (User string = "EXDUL-381")
An 8-byte block is transmitted and a 20-byte block is received with content from UserA or UserB

Byte	Transmit	Representing	Receive	Representing
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01	Length byte → 4Byte	04	Length byte → 16 Byte
4	00 (UserA) 01 (UserB)	Information byte	45	Data 1st character E _{asci}
5	00	reserved	58	Data 2nd character Xasci
6	00	reserved	44	Data 3rd character Dasci
7	01	Read function info area	55	Data 4th character Uasci
8			4C	Data 5th character Lasci
9			2D	Data 6th character -asci
10			33	Data 7th character 3 _{asci}
11			38	Data 8th character 8 _{asci}
12			31	Data 9th character 1 _{asci}
13			20	Data 10th character [blank]asci
14			20	Data 11th character [blank]asci
15			20	Data 12th character [blank]asci
16			20	Data 13th character [blank]asci
17			20	Data 14th character [blank]asci
18			20	Data 15th character [blank]asci
19			20	Data 16th character [blank]asci



Example: Read information area hardware identifier An 8-byte block is transmitted and a 20-byte block is received with hardware identifier

Byte	Transmit	Meaning	Receive	Meaning
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01	Length byte → 4Byte	04	Length byte → 16 Byte
4	04	Information byte	45	Data 1st character Easci
5	00	reserved	58	Data 2nd character Xasci
6	00	reserved	44	Data 3rd character Dasci
7	01	Read function information space	55	Data 4th character U _{asci}
8			4C	Data 5th character Lasci
9			2D	Data 6th character -asci
10			33	Data 7th character 3asci
11			38	Data 8th character 8 _{asci}
12			31	Data 9th character 1 _{asci}
13			20	Data 10th character [blank]asci
14			20	Data 11th character [blank]asci
15			20	Data 12th character [blank]asci
16			20	Data 13th character [blank]asci
17			20	Data 14th character [blank]asci
18			20	Data 15th character [blank]asci
19			20	Data 16th character [blank]asci



Example: Read information area serial number An 8-byte block is transmitted and a 20-byte block is received with serial number

Byte	Transmit	Meaning	Receive	Meaning
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01	Length byte → 4Byte	03	Length byte → 16 Byte
4	04	Information byte	31	Data 1st character 1 _{dez}
5	00	reserved	30	Data 2nd character 0 _{dez}
6	00	reserved	34	Data 3rd character 4 _{dez}
7	01	Read function information space	34	Data 4th character 4 _{dez}
8			30	Data 5th character 0 _{dez}
9			32	Data 6th character 2 _{dez}
10			36	Data 7th character 6 _{dez}
11				reserved
12				reserved
13				reserved
14				reserved
15				reserved
16				reserved
17				reserved
18			-	reserved
19				reserved



Write to LCD register

The EXDUL module provides several writable LCD registers. UserLCD1 and UserLCD2 correspond to the two lines when using UserMode-LCD display. UserLCD1m and UserLCD2m are two 16-Byte spaces, which are stored directly in a non-volatile memory (FLASH) and are loaded into the registers UserLCD1m or UserLCD2m at module start. All of the registers are writable as a complete 16-byte block only.

LCD Command	LCD Command Byte
UserLCD1	0
UserLCD2	1
UserLCD1m	2
UserLCD2m	3

Example: enter the character string EXDUL-381 to register

Byte	Transmit	Receive	Representing	
0	0C	0C	Command code 1st Byte	
1	00	00	Command code 2nd Byte	
2	03	03	Command code 3rd Byte	
3	05	00	Lenght prefix byte => 20 Byte	
4	00 (UserLCD1) 01 (UserLCD2) 02 (UserLCD1m) 03 (UserLCD2m)		LCD command	
5	00		reserved	
6	00		reserved	
7	00		Info space of write operation	
8	45		Data 1st character Easci	
9	58		Data 2nd character X _{asci}	
10	44		Data 3rd character Dasci	
11	55		Data 4th character Uasci	
12	4C		Data 5th character Lasci	
13	2D		Data 6th character -asci	
14	33		Data 7th character 3 _{asci}	
15	38		Data 8th character 8asci	
16	31		Data 9th character 1 _{asci}	
17	20		Data 10th character [blank]asci	
18	20	Data 11th character [blank]asci		
19	20	Data 12th character [blank]asci		
20	20	Data 13th character [blank]asci		
21	20		Data 14th character [blank]asci	
22	20		Data 15th character [blank]asci	
23	20	Marana Datasta da i	Data 16th character [blank] _{asci}	

EXDUL-381E / EXDUL-381S © 2019 by Messcomp Datentechnik GmbH



Reading LCD registers

The EXDUL module provides several writable and readable LCD registers. UserLCD1 and UserLCD2 correspond to the two lines when using UserMode-LCD display. UserLCD1m and UserLCD2m are two 16-Byte spaces, which are stored directly in a non-volatile memory (FLASH) and are loaded into the registers UserLCD1m or UserLCD2m at module start. All of the registers are writable as a complete 16-byte block only.

LCD Command	LCD Command Byte
UserLCD1 & UserLCD2	0
UserLCD1m & UserLCD2m	2



Example: read the character string EXDUL-381 from register

Byte	Transmit	Representing	Receive	Representing
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	03	Command code 3rd Byte	03	Command code 3rd Byte
3	01	Length byte → 20 Byte	08	Length byte → 20 Byte
4	00 (UserLCD1&2) 02 (UserLCD1m&2m)	LCD Command	45	Data Line1 1st character Easci
5	00	reserved	58	Data Line1 2nd character Xasci
6	00	reserved	44	Data Line1 3rd character Dasci
7	01	Read function LCD registers	55	Data Line1 4th character Uasci
8			4C	Data Line1 5th character Lasci
9			2D	Data Line1 6th character -asci
10			33	Data Line1 7th character 3asci
11			38	Data Line1 8th character 8asci
12			31	Data Line1 9th character 1 _{asci}
13			20	Data Line1 10th character [blank]asci
14			20	Data Line1 11th character [blank]asci
15			20	Data Line1 12th character [blank]asci
16			20	Data Line1 13th character [blank]asci
17			20	Data Line1 14th character [blank]asci
18			20	Data Line1 15th character [blank]asci
19			20	Data Line1 16th character [blank]asci
20			45	Data Line2 1st character Easci
21			58	Data Line2 2nd character X _{asci}
22			44	Data Line2 3rd character Dasci
23			55	Data Line2 4th character Uasci
24			4C	Data Line2 5th character Lasci
25			2D	Data Line2 6th character -asci
26			33	Data Line2 7th character 3 _{asci}
27			38	Data Line2 8th character 8asci
28			31	Data Line2 9th character 1 _{asci}
29			20	Data Line2 10th character [blank]asci
30			20	Data Line2 11th character [blank]asci
31			20	Data Line2 12th character [blank]asci
32			20	Data Line2 13th character [blank]asci
33			20	Data Line2 14th character [blank]asci
34			20	Data Line2 15th character [blank]asci
35			20	Data Line2 16th character [blank]asci

EXDUL-381E / EXDUL-381S © 2019 by Messcomp Datentechnik GmbH



Writing the LCD Mode

The module's LCD display provides several display modes. These can be set by the following command. The LCD mode is stored in a non-volatile memory and is also employed after a restart of the module.

LCD Mode	LCD Mode Byte
I/O Mode	0
User Mode	1

Example: writing the LCD Mode

Byte	Transmit	Representing	Receive	Representing
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	03	Command code 3rd Byte	03	Command code 3rd Byte
3	02	Length byte → 8 Byte	00	Length byte → 0 Byte
4	04	LCD Command LCD mode		
5	00	reserved		
6	00	reserved		
7	00	Write function		
8	00 (IO Mode) 01 (User Mode)	LCD mode		
9	00	reserved		
10	00	reserved		
11	00	reserved		



Reading the LCD Mode

The module's LCD display provides several modes of display. The set LCD mode can be read out by following command.

LCD Mode	LCD Mode Byte
I/O Mode	0
User Mode	1

Example: reading the LCD Mode

Byte	Transmit	Representing	Receive	Representing
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	03	Command code 3rd Byte	03	Command code 3rd Byte
3	01	Length byte → 4 Byte	01	Length byte → 4 Byte
4	04	LCD command LCD mode	00 (IO-Mode) 01 (User-Mode)	LCD mode
5	00	reserved	00	reserved
6	00	reserved	00	reserved
7	01	read function	00	reserved



Writing the LCD contrast value

This command is used to adjust the display contrast. Values between 0 and 4095 are accepted. The display contrast decreases with increasing values. A comfortable display is achieved in the range 800 to 1800.

Example: writing display contrast value 800

Byte	Transmit	Representing	Receive	Representing
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	03	Command code 3rd Byte	03	Command code 3rd Byte
3	02	Length byte → 8 Byte	00	Length byte → 0 Byte
4	0B	LCD command LCD contrast		
5	00	reserved		
6	00	reserved		
7	00	write function		
8	50	Contrast value (Lowbyte - 00FF)		
9	03	Contrast value (Highbyte - 000F)		
10	00	reserved		
11	00	reserved		

Reading the LCD contrast value

This command is used to read out the display contrast. The value can be between 0 and 4095. The display contrast decreases with increasing values. A comfortable display is achieved in the range 800 to 1800.

Example: reading display contrast value 800

Byte	Transmit	Representing	Receive	Representing
0	0C	Command code 1st Byte	0C	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	03	Command code 3rd Byte	03	Command code 3rd Byte
3	01	Length byte → 4 Byte	01	Length byte → 4 Byte
4	0B	LCD command LCD contrast	50	Contrast value (Lowbyte - 00FF)
5	00	reserved	03	Contrast value (Highbyte - 000F)
6	00	reserved	00	reserved
7	01	read function	00	reserved



Reading optocoupler outputs

This command permits to read the current state of the optocoupler outputs.

Optocoupler enabled = 1, optocoupler disabled = 0,

Example: Reading the optocoupler output state

An 8-byte block is transmitted and a 8-byte block is received with the optocoupler output state

Byte	Transmit	Representing	Receive	Representing
0	08	Command code 1st Byte	08	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01 (→ 4Byte)	Length byte	01 (→ 4Byte)	Length byte
4	01	r/w Byte (1→ read)	0w 00 (LOW at DIN00) 01 (HIGH at DIN00)	State of the optocoupler output
5	00	reserved	00	reserved
6	00	reserved	00	reserved
7	00	reserved	00	reserved

Writing optocoupler outputs

This command permits the user to disable or enable the optocoupler outputs.

Optocoupler enabled = 1, optocoupler disabled = 0,

Example: output of a state at the optocoupler output

An 8-byte block is transmitted and a 4-byte block is received as confirmation

Byte	Transmit	Receive	Representing
0	08	08	Command code 1st Byte
1	00	0	Command code 2nd Byte
2	00	00	Command code 3rd Byte
3	01 (→ 4Byte)	00	Length byte
4	00		r/w byte
5	0w 00 (disabled) 01 (enabled)		Optocoupler state
6	00		reserved
7	00		reserved

EXDUL-381E / EXDUL-381S © 2019 by Messcomp Datentechnik GmbH



Reading optocoupler inputs

This command permits to read the current state of the optocoupler inputs.

Example: Read optocoupler input state

A 4-byte block is transmitted and an 8-byte block is received with optocoupler input state. Precondition for these examples is to apply an input level (here 0xB3) at the single inputs as per the following table:

$$(0 = LOW = 0...3V, 1 = HIGH = 10..30V)$$

Output channel	DIN7	DIN6	DIN5	DIN4	DIN3	DIN2	DIN1	DIN0
Screw terminal	18	17	16	15	14	13	12	11
Switching state	1	0	1	1	0	0	1	1

Byte	Transmit	Representing	Receive	Representing
0	08	Command code 1st Byte	08	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	01	Command code 3rd Byte	00	Command code 3rd Byte
3	00	Length byte	01 (→ 4Byte)	Length byte
4			B3	State of the optocoupler inputs
5			00	reserved
6			00	reserved
7			00	reserved



Counters

This command permits access to the counters. Thus you can start, stop, reset and read the counters. Additionally, you can read and reset the overflow flag.

Code	Counter command code
00	Start Counter
01	Stop Counter
02	Reset Counter
03	Read counter value
04	reserved
05	Read Overflow Flag
06	Reset Overflow Flag

Example as per Counter0:

Counter Start / Stop / Reset

Byte	Transmit	Representing	Receive	Representing
0	09	Command code 1st Byte	09	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01	Length byte	01	Length byte
4	bb 00 01 02	Counter command code Start Counter0 Stop Counter0 Reset Counter0	bb	Counter command code
5	00	reserved	00	reserved
6	00	reserved	00	reserved
7	00	reserved	00	reserved



Read Counter0

Byte	Transmit	Representing	Receive	Representing
0	09	Command code 1st Byte	09	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01	Length byte	02 (→ 8Byte)	Length byte
4	03	Counter command code	03	Counter command code
5	00	reserved	00	reserved
6	00	reserved	00	reserved
7	00	reserved	00	reserved
8			ww	Counter reading Byte0
9			ww	Counter reading Byte1
10			ww	Counter reading Byte2
11			ww	Counter reading Byte3

Counter reading = Counter reading Byte3 * 0x1000000 + Counter reading Byte2 * 0x10000 + Counter reading Byte1 * 0x100 + Counter reading Byte0

Read overflow flag Counter0

Byte	Transmit	Representing	Receive	Representing
0	09	Command code 1st Byte	09	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01	Length byte	02 (→ 8Byte)	Length byte
4	05	Counter command code Read overflow flag	05	Counter command code Read overflow flag
5	00	reserved	00	reserved
6	00	reserved	00	reserved
7	00	reserved	Of	Overflow flag

Reset overflow flag Counter0

Byte	Transmit	Representing	Receive	Representing
0	09	Command code 1st Byte	09	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01	Length byte	01 (→ 4Byte)	Length byte
4	06	Counter command code Reset overflow flag	06	Counter command code Reset overflow flag
5	00	reserved	00	reserved
6	00	reserved	00	reserved
7	00	reserved	00	reserved

EXDUL-381E / EXDUL-381S © 2019 by Messcomp Datentechnik GmbH



AD Single measurement

The command AD single measurement performs a voltage measurement on a desired analog input channel and returns the value calibrated as an integer in μV to the computer The command has to contain the desired channel as well as the measuring range.

Channel:

Channel	Channel byte
Single Ended	
AIN00	0
AIN01	1
AIN02	2
AIN03	3
AIN04	4
AIN05	5
AIN06	6
AIN07	7
Differential measuring	
AIN00+ / AIN01-	8
AIN00- / AIN01+	9
AIN02+ / AIN03-	10
AIN02- / AIN03+	11
AIN04+ / AIN05-	12
AIN04- / AIN05+	13
AIN06+ / AIN07-	14
AIN06- / AIN07+	15

Measuring range:

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V

Example of measuring a voltage at an input signal

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	00	Command code 3rd Byte	00	Command code 3rd Byte
3	01 (→ 4Byte)		01 (→ 4Byte)	Length byte
4	сс	Channel byte	ww	Measured value Byte0
5	bb	Range byte	ww	Measured value Byte1
6	00		ww	Measured value Byte2
7	00		ww	Measured value Byte3

Voltage = (integer) (Byte3 * 0x1000000 + Byte2 * <math>0x10000 + Byte1 * 0x100 + Byte0) [μ V]



AD Single measurement with averaging

The command AD single measurement with averaging performs 32 voltage measurements at a rate of 100kS/s on a desired analog input channel, averages it and returns the value calibrated as an integer in μV to the computer. The desired channel as well as the measuring range has to be transmitted to the command.

Channel:

Measuring range:

Channel	Channel byte
Single Ended	
AIN00	0
AIN01	1
AIN02	2
AIN03	3
AIN04	4
AIN05	5
AIN06	6
AIN07	7
Differential measuring	
AIN00+ / AIN01-	8
AIN00- / AIN01+	9
AIN02+ / AIN03-	10
AIN02- / AIN03+	11
AIN04+ / AIN05-	12
AIN04- / AIN05+	13
AIN06+ / AIN07-	14
AIN06- / AIN07+	15

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V

Example of measuring the voltage on an input signal

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	01	Command code 3rd Byte	01	Command code 3rd Byte
3	01 (→ 4Byte)	Length byte	01 (→ 4Byte)	Length byte
4	сс	Channel byte	ww	Measured value Byte0
5	bb	Range byte	ww	Measured value Byte1
6	00	reserved	ww	Measured value Byte2
7	00	reserved	ww	Measured value Byte3

Voltage = (integer) (Byte3 * 0x1000000 + Byte2 * 0x10000 + Byte1 * <math>0x100 + Byte0) [μV]



AD block measurement with averaging

This command performs sampling of up to 8 channels in quick succession. Each channel to be measured is sampled 32 times, each averaged (see chapter 5.2) and the value returned as an integer in μV to the PC.

Channel:

Onamio.			
Channel	Channel byte		
Single Ended			
AIN00	0		
AIN01	1		
AIN02	2		
AIN03	3		
AIN04	4		
AIN05	5		
AIN06	6		
AIN07	7		
Differential measuring			
AIN00+ / AIN01-	8		
AIN00- / AIN01+	9		
AIN02+ / AIN03-	10		
AIN02- / AIN03+	11		
AIN04+ / AIN05-	12		
AIN04- / AIN05+	13		
AIN06+ / AIN07-	14		
AIN06- / AIN07+	15		

Measuring range:

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V

Command structure $n = 1 \dots 8$

Byte	Transmit	Representing
0	0A	Command code 1st Byte
1	00	Command code 2nd Byte
2	02	Command code 3rd Byte
3	(n*4)	Length byte (n = number of channels)
4	00	reserved
5	00	reserved
6	C ₀ C ₀	Channel byte
7	bobo	Range byte
	:	
	:	
3 + n*4	C _{n-1} C _{n-1}	Channel byte
4 + n*4	b _{n-1} b _{n-1}	Range byte
7 3 + n*4	bobo : : : : : : : : : : : : : : : : : :	Range byte Channel byte

Byte	Recieve	Representing
0	0A	Command code 1st Byte
1	00	Command code 2nd Byte
2	02	Command code 3rd Byte
3	(n*4)	Length byte (n = number of channels)
4	W1W1	Measured value ₁ ByteO ₁
5	W ₁ W ₁	Measured value ₁ Byte1 ₁
6	W1W1	Measured value ₁ Byte2 ₁
7	W1W1	Measured value ₁ Byte3 ₁
	:	
	:	
3 + n*4	WnWn	Measured value, Byte0,
4 + n*4 +1	WnWn	Measured value Byte1n
4 + n*4 +2	WnWn	Measured value _n Byte2 _n
4 + n*4 +3	WnWn	Measured value _n Byte3 _n



Example:

In the following example, AIN01, AIN02 and AIN04 are to be sampled. The measuring range may be +/- 10.2V for all values.

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	02	Command code 3rd Byte	02	Command code 3rd Byte
3	03 (→ 12Byte)	Length byte	03 (→ 12Byte)	Length byte
4	00	reserved	W1W1	Measured value AIN01 Byte01
5	00	reserved	W1W1	Measured value AIN01 Byte11
6	01	Channel byte AIN01	W1W1	Measured value AIN01 Byte21
7	01	Range byte +/- 10.2V	W ₁ W ₁	Measured value AIN01 Byte3 ₁
8	00	reserved	W2W2	Measured value AIN02 Byte02
9	00	reserved	W2W2	Measured value AIN02 Byte12
10	02	Channel byte AIN02	W2W2	Measured value AIN02 Byte22
11	01	Range byte +/- 10.2V	W ₂ W ₂	Measured value AIN02 Byte32
12	00	reserved	W ₃ W ₃	Measured value AIN04 Byte0 ₃
13	00	reserved	W3W3	Measured value AIN04 Byte13
14	04	Channel byte AIN04	W3W3	Measured value AIN04 Byte23
15	01	Range byte +/- 10.2V	W3W3	Measured value AIN04 Byte3 ₃

Measured value AIN01

- = (integer) (Byte3 $_1$ * 0x1000000 + Byte2 $_1$ * 0x10000 + Byte1 $_1$ * 0x100 + Byte0 $_1$) [μ V] Measured value AIN02
- = (integer) (Byte3 $_2$ * 0x1000000 + Byte2 $_2$ * 0x10000 + Byte1 $_2$ * 0x100 + Byte0 $_2$) [μ V] Measured value AIN04
- = (integer) (Byte3 $_3$ * 0x1000000 + Byte2 $_3$ * 0x10000 + Byte1 $_3$ * 0x100 + Byte0 $_3$) [μ V]



Reset ADC FIFO

The following command performs a reset of the ADC FIFO. This should be done after an overflow.

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	06	Command code 3rd Byte	06	Command code 3rd Byte
3	00	Length byte	00	Length byte → 0 Bytes

Read ADC FIFO overflow flag

The following command reads the overflow flag of the ADC-FIFO. Along with the read, the overflow flag is reset.

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	07	Command code 3rd Byte	07	Command code 3rd Byte
3	00	Length byte	01	Length byte → 4 Bytes
4			Ow	Overflow flag 00 FIFO no overflow 01 FIFO overflow
5			00	reserved
6			00	reserved
7			00	reserved



Read out ADC FIFO

Some commands do not return the measurement results directly along with the response command, but store the measured values in a FIFO. As a command example, multiple measurement or continuous measurement can be mentioned. The FIFO can be read out with the ADC FIFO readout command. The values hold in the FIFO are appended directly to the response of the command (up to 255 readings). If the FIFO does not contain any data, only a 4-byte response is returned to the computer.

Command structure

4 bytes are to be transmitted, 4 + n*4 bytes are to be received depending upon the amount of data n in the FIFO.

$$n = 1 8$$

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	08	Command code 3rd Byte	08	Command code 3rd Byte
3	00	Length byte	nn	Length byte → n*4 Bytes
4			WW1	Measured value ₁ Byte0 ₁
5			WW1	Measured value ₁ Byte1 ₁
6			WW1	Measured value ₁ Byte2 ₁
7			WW ₁	Measured value ₁ Byte3 ₁
			:	
			:	
n*4			WWn	Measured value _n Byte0 _n
n*4 + 1			WWn	Measured value, Byte1,
n*4 + 2			WWn	Measured value, Byte2,
n*4 + 3			WWn	Measured valuen Byte3n



Example 1: FIFO is empty:

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	08	Command code 3rd Byte	08	Command code 3rd Byte
3	00	Length byte	00	Length byte


Example 2: The FIFO holds two measured values

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	08	Command code 3rd Byte	08	Command code 3rd Byte
3	00	Length byte	2	Length byte → 8 bytes
4			WW1	Measured value ₁ Byte0 ₁
5			WW ₁	Measured value ₁ Byte1 ₁
6			WW ₁	Measured value ₁ Byte2 ₁
7			WW1	Measured value ₁ Byte3 ₁
8			WW2	Measured value ₂ Byte0 ₂
9			WW2	Measured value ₂ Byte1 ₂
10			WW ₂	Measured value ₂ Byte2 ₂
11			WW2	Measured value ₂ Byte3 ₂



Programming:

- Transmitting: to read data from the FIFO the 4 byte holding command has to be sent to the module
- Receiving the data: since the array length of the data to be received may vary, the receiving of the entire data block has to be partitioned.





AD Multiple Measurement

The A/D multiple measurement allows the user to sample one or more channels several times (up to 65,535 times) in an adjustable clock (1 - 100000kHz). The measured values are stored by the module in the internal FIFO and can be retrieved there during and after the sampling process. The values are buffered in the FIFO until they either have been fetched or a new sampling command has been called.

Attention: it must be ensured that the FIFO can be emptied fast enough, since the FIFO is limited to 10,000 readings. Furthermore, no EXDUL information register (e.g. UserA, UserB) may be written during the processing.

Channel:

Channel	Channel byte
Single Ended	
AIN00	0
AIN01	1
AIN02	2
AIN03	3
AIN04	4
AIN05	5
AIN06	6
AIN07	7
Differential measuring	
AIN00+ / AIN01-	8
AIN00- / AIN01+	9
AIN02+ / AIN03-	10
AIN02- / AIN03+	11
AIN04+ / AIN05-	12
AIN04- / AIN05+	13
AIN06+ / AIN07-	14
AIN06- / AIN07+	15

Measuring range:

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V



Command structure

n = 1 8

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	09	Command code 3rd Byte	09	Command code 3rd Byte
3	n + 2	Length byte	00	Length byte
4	ff	Sampling rate Byte0		
5	ff	Sampling rate Byte1		
6	ff	Sampling rate Byte2		
7	00	reserved		
8	aa	Number of readings Byte0		
9	aa	Number of readings Byte1		
10	00	reserved		
11	00	reserved		
12	00	reserved		
13	00	reserved		
14	CCn	Channel byte ₁		
15	bb₁	Range byte ₁		
	:			
	:			
n*4 + 8	00	reserved		
n*4 + 9	00	reserved		
n*4 + 10	CCn	Channel byte ₁		
n*4 + 11	bb₁	Range byte ₁		

Sampling rate = Byte2 * 65536 + Byte1 * 256 + Byte0 Number of readings = Byte1 * 256 + Byte0



Start AD continuous sampling

The A/D continuous measurement allows the user to sample one or more channels at regular intervals (1s - 10μ s). The measured values are stored by the module into the internal FIFO and can be retrieved there during and after the sampling process. The values are buffered in the FIFO until they either have been fetched or a new sampling command has been called. To stop the continuous measurement the command "stop continuous A/D sampling" must be sent to the module.

Attention: it must be ensured that the FIFO can be emptied quickly enough since the FIFO is limited to 10,000 readings. Furthermore, no EXDUL information register (e.g. UserA, UserB) may be written during the processing.

Channel:

Channel	Channel byte
Single Ended	
AIN00	0
AIN01	1
AIN02	2
AIN03	3
AIN04	4
AIN05	5
AIN06	6
AIN07	7
Differential measuring	
AIN00+ / AIN01-	8
AIN00- / AIN01+	9
AIN02+ / AIN03-	10
AIN02- / AIN03+	11
AIN04+ / AIN05-	12
AIN04- / AIN05+	13
AIN06+ / AIN07-	14
AIN06- / AIN07+	15

Measuring range:

Range byte	Voltage
0	+/- 20.4V (Differential measuring only max +/- 10.2V → GND)
1	+/-10.2V
2	+/- 5.1V
3	+/-2,55V
4	+/-1.27V
5	+/- 0.63V



Command structure

Byte	Transmit	Representing	Receive	Representing
0	0A	Command code 1st Byte	0A	Command code 1st Byte
1	00	Command code 2nd Byte	00	Command code 2nd Byte
2	0A	Command code 3rd Byte	0A	Command code 3rd Byte
3	n + 1	Length byte	00	Length byte
4	ff	Sampling rate Byte0		
5	ff	Sampling rate Byte1		
6	ff	Sampling rate Byte2		
7	00	reserved		
8	aa	reserved		
9	aa	reserved		
10	CC1	Channel byte ₁		
11	bb ₁	Range byte ₁		
	:			
	:			
n*4 + 4	00	reserved		
n*4 + 5	00	reserved		
n*4 + 6	CCn	Channel byte ₁		
n*4 + 7	bb₁	Range byte ₁		

Sampling rate = Byte2 * 65536 + Byte1 * 256 + Byte0

Stop AD continuous sampling

This command stops the AD continuous measurement.

Byte	Transmit	mit Representing Receive		Representing	
0	0A	Command code 1st Byte	0A	Command code 1st Byte	
1	00	Command code 2nd Byte	00	Command code 2nd Byte	
2	0B	Command code 3rd Byte	0B	Command code 3rd Byte	
3	00	Length byte	00	Length byte	



10.5 Access to the Module via LabVIEW and EXDUL.dll

Due to the EXDUL.dll., the module can be integrated into a LABView project without much effort. Along with the .NET.Framework additionally LABView and the EXDUL.dll file is required on the computer.

We refer to the EXDUL-LABView Tutorial for more detailed information.



11. Programming under Linux®

11.1 Introduction

After your operating system successfully recognized the EXDUL-381E/EXDUL-381S, the module is listed as a ttyACM* device in the folder /dev. This is a CDC device (Communications Device Class), that is addressed via a virtual COM port.

This virtual COM port operates like a normal COM interface and can be accessed by a default driver, there is no need to install any additional drivers.

11.2 Programming with serial COM Port Libraries

When the module has been recognized you can communicate via default libraries of serial interfaces. We refer to chapter 10.4. for more detailed information.



12. Specifications

A/D Inputs

8 inputs single-ended (se) or 4 inputs differential (diff)

or combined se/diff software-sectable

Resolution: 16 Bit

Input voltage range bipolar:

+/-0.63V, +/-1.27V, +/-2.55V, +/-5.1V, +/-10.2V

+/-20.4V (differential inputs only)

FIFO: 10,000 readings Input resistance: > 500 MΩ Over voltage protection: +/- 50V

Sampling rate: max 100 kS

Optocoupler inputs

8 channels bipolar

Over voltage protection diodes

Input voltage range

high = 10..30 Volt

low = 0..3 Volt

Input frequency: max. 10 kHz

Optocoupler Outputs

2 channels

High capacity optocouplers

Reverse polarity protection

Output current max. 150mA

Voltage collector-emitter: max. 50V

Counters

5 programmable counters 32 bit (using 5 optocoupler inputs)

Counting frequency: max. 5 kHz



LCD Display (EXDUL-381E only)

Matrix display with 2 lines and 16 columns displaying 16 characters each line

Programmable to display application-specific data or representing I/O status

Operating voltage

via USB port (PC must be able to supply 500mA) or +10 V...+30 V (external power supply)

USB Interface

Compatible with USB 2.0

USB Connection Plug and Play (hot-swappable, also connectable during operation)

Connection Terminals

- 1 * 24pin screw terminal block
- 1 * USB socket Type B

USB connection lines

- 1 * USB plug Type A
- 1 * USB plug Type B

Dimensions

105 mm x 89 mm x 59 mm (l x b x h)

Casing

Insulating plastic housing with integrated snap-in technology for DIN EN top hat rail mounting.

Suitable for control and engineering technology mounted to control and distribution boxes, surface mounting or mobile use on a desk.



13. Circuitry Examples

13.1 Wiring of the Optocoupler Inputs




Fig 13.1.1 Wiring of the Optocoupler Inputs






Fig 13.1.2 Wiring of the optocoupler inputs revers



13.2 Wiring of the Optocoupler Outputs




Fig 13.2 Wiring of the optocoupler outputs



13.3 Wiring of the A/D Inputs single ended




Figure 13.3 Wiring of the A/D inputs (single ended)



13.4 Wiring of the A/D Inputs differential




Figure 13.4 Wiring of the A/D inputs (differential)



14. ASCII Table

Hex	Dec	Binary	Character
00	0	00000000	Ondi dotoi
01	1	00000001	
02	2	00000010	
03	3	00000011	
04	4	00000110	
05	5	00000101	
06	6	00000110	
07	7	00000111	
08	8	00001000	
09	9	00001001	
0A	10	00001010	
0B	11	00001011	
0C	12	00001100	
0D	13	00001101	
0E	14	00001110	
0F	15	00001111	
10	16	00010000	
11	17	00010001	
12	18	00010010	
13	19	00010011	
14	20	00010100	
15	21	00010101	
16	22	00010110	
17	23	00010111	
18	24	00011000	
19	25	00011001	
1A	26	00011010	
1B	27	00011011	
1C	28	00011100	
1D	29	00011101	
1E	30	00011110	
1F	31	00011111	
20	32	00100000	[space]
21	33	00100001	!
22	34	00100010	"
23	35	00100011	#
24	36	00100100	\$
25	37	00100101	%
26	38	00100110	&
27	39	00100111	,

_	D:	6 1
		Character
		(
)
		*
43	00101011	+
	00101100	,
45	00101101	-
46	00101110	
47	00101111	/
48	00110000	0
49	00110001	1
50	00110010	2
51	00110011	3
52	00110100	4
53	00110101	5
54	00110110	6
55	00110111	7
56	00111000	8
57	00111001	9
58	00111010	:
59	00111011	;
60	00111100	<
61	00111101	=
62	00111110	>
63	00111111	?
64	01000000	@
65	01000001	Α
66	01000010	В
67	01000011	С
68	01000100	D
69	01000101	E
70	01000110	F
71	01000111	G
72	01001000	Н
73	01001001	1
74	01001010	J
75	01001011	K
76	01001100	L
77	01001101	M
78	01001110	N
79	01001111	0
	44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78	40 00101000 41 00101001 42 00101010 43 00101011 44 00101100 45 00101101 46 00101110 47 00101111 48 00110000 49 00110010 51 00110010 52 00110100 53 00110101 54 00110110 55 00110110 56 00111001 57 00111001 58 00111001 59 00111001 60 0011101 60 00111101 61 00111101 62 00111101 63 00111101 63 00111101 64 01000000 65 0100001 66 01000010 67 0100011 70 0100011 70 0100011 71 01000111 72 01001001 73 01001001 74 01001001 75 0100101 76 0100110 77 01001101 76 01001101 77 01001101 77 01001101 78 01001101



				. —				
Hex	Dec	Binary	Character		ex	Dec	Binary	Character
50	80	01010000	Р	70		124	01111100	
51	81	01010001	Q	71)	125	01111101	}
52	82	01010010	R	7	Ε	126	01111110	
53	83	01010011	S	7	F	127	01111111	
54	84	01010100	Т	80)	128	10000000	
55	85	01010101	U	8	1	129	10000001	
56	86	01010110	V	82	2	130	10000010	
57	87	01010111	W	83	3	131	10000011	
58	88	01011000	X	84	4	132	10000100	
59	89	01011001	Υ	8	5	133	10000101	
5A	90	01011010	Z	86	3	134	10000110	
5B	91	01011011	[87	7	135	10000111	
5C	92	01011100		88	3	136	10001000	
5D	93	01011101]	88	9	137	10001001	
5E	94	01011110	^	8/	4	138	10001010	
5F	95	01011111	_	81	3	139	10001011	
60	96	01100000		80	С	140	10001100	
61	97	01100001	а	81)	141	10001101	
62	98	01100010	b	81	Ε	142	10001110	
63	99	01100011	C	81	=	143	10001111	
64	100	01100100	d	90)	144	10010000	
65	101	01100101	е	9	1	145	10010001	
66	102	01100110	f	92	2	146	10010010	
67	103	01100111	g	93		147	10010011	
68	104	01101000	h	94		148	10010100	
69	105	01101001	i	9		149	10010101	
6A	106	01101010	i	96	3	150	10010110	
6B	107	01101011	k	9		151	10010111	
6C	108	01101100	i i	98		152	10011000	
6D	109	01101101	m	99		153	10011001	
6E	110	01101110	n	9/		154	10011010	
6F	111	01101111	0	91		155	10011011	
70	112	01110000	р	90		156	10011100	
71	113	01110001	q	91		157	10011101	
72	114	01110010	r	91		158	10011110	
73	115	01110010	S	91		159	10011111	
74	116	01110110	t	A		160	10100000	
75	117	01110101	u	A		161	10100000	
76	118	01110101	V			162	10100001	
77	119	01110110	w			163	10100010	
78	120	011110111	X	A.		164	10100011	
79	121	01111000		A		165	10100100	
79 7A	122	01111001	y z	A		166	10100101	
7B	123	01111010		A		167	10100110	
/ D	123	UTITIOIT	{	l LA	1	107	10100111	



	_	D:	01 1		_	n.	. .
Hex	Dec	Binary	Character	Hex	Dec	Binary	Character
A8	168	10101000		D4	212	11010100	
A9	169	10101001		D5	213	11010101	
AA	170	10101010		D6	214	11010110	
AB	171	10101011		D7	215	11010111	
AC	172	10101100		D8	216	11011000	
AD	173	10101101		D9	217	11011001	
AE	174	10101110		DA	218	11011010	
AF	175	10101111		DB	219	11011011	
B0	176	10110000		DC	220	11011100	
B1	177	10110001		DD	221	11011101	
B2	178	10110010		DE	222	11011110	
B3	179	10110011		DF	223	11011111	
B4	180	10110100		E0	224	11100000	
B5	181	10110101		E1	225	11100001	
B6	182	10110110		E2	226	11100010	
B7	183	10110111		E3	227	11100011	
B8	184	10111000		E4	228	11100100	
B9	185	10111001		E5	229	11100101	
BA	186	10111010		E6	230	11100110	
ВВ	187	10111011		E7	231	11100111	
ВС	188	10111100		E8	232	11101000	
BD	189	10111101		E9	233	11101001	
BE	190	10111110		EA	234	11101010	
BF	191	10111111		EB	235	11101011	
CO	192	11000000		EC	236	11101100	
C1	193	11000001		ED	237	11101101	
C2	194	11000010		EE	238	11101110	
C3	195	11000011		EF	239	11101111	
C4	196	11000100		F0	240	11110000	
C5	197	11000101		F1	241	11110001	
C6	198	11000110		F2	242	11110010	
C7	199	11000111		F3	243	11110011	
C8	200	11001000		F4	244	11110100	
C9	201	11001001		F5	245	11110101	
CA	202	11001001		F6	246	11110110	
СВ	203	11001010		F7	247	11110111	
CC	203	11001011		F8	248	111110111	
CD	205	11001100		F9	249	11111000	
CE	206	11001101		FA	250	11111001	
CF	207	11001110		FB	251	11111010	
D0	207	11011111		FC	251	111111011	
D0	208			FD		11111100	
		11010001			253		
D2	210	11010010		FE	254	11111110	
D3	211	11010011		FF	255	11111111	



15. Product Liability Act

Information for Product Liability

The Product Liability Act (Act on Liability for Defective Products - ProdHaftG) in Germany regulates the manufacturer's liability for damages caused by defective products.

The obligation to pay compensation can already be given, if the product's presentation could cause a misconception of safety to a non-commercial end-user and also if the end-user is expected not to observe the necessary safety instructions when handling this product.

It must therefore always be verifiable, that the end-user has been made familiar with the safety rules.

In the interest of safety, please always point out the following safety instructions to your non-commercial customers:

Safety instructions

The applicable VDE-instructions must be observed, when handling products that come into contact with electrical voltage.

Particular attention must be drawn to the following instructions: VDE100; VDE0550/0551; VDE0700; VDE0711; VDE0860. You can obtain the instructions from: vde-Verlag GmbH Bismarckstr. 33 10625 Berlin



- * pull the mains plug before you open the unit or make sure, there is no current to/in the unit.
- * You only may put into operation any components, boards or devices, if they have been installed inside a secure touch-protected casing before. During installation there must be no current to the equipment.
- * Make sure that the device is disconnected from the power supply before using any tools on any components, boards or devices. Any electric charges saved in components in the device are to be discharged prior.
- * Live cables or wires, which are connected to the unit, the components or the boards, must be inspected for insulation faults or breakages. In case of any defect in a line the device must be taken out of operation immediately until the defective line has been replaced.
- * When using components or boards you must strictly adhere to the characteristic data for electrical parameters specified in the corresponding description.
- * As a non-commercial end-user, if it is not clear whether the electrical parameters given in the description provided are applicable for a component, you must consult an expert.

Furthermore, the compliance with building and safety instructions of all kinds (VDE, TÜV, industrial injuries corporation, etc.) is subject to the user/customer.



16. CE Declaration of Conformity

This is to certify, that the products

EXDUL-381E EDP Number A-381772 EXDUL-381S EDP Number A-381760

comply with the requirements of the relevant EC directives. This declaration will lose its validity, if the instructions given in this manual for the intended use of the products are not fully complied with.

EN 5502 Class B

IEC 801-2

IEC 801-3

IEC 801-4

EN 50082-1

EN 60555-2

EN 60555-3

The following manufacturer is responsible for this declaration:

Messcomp Datentechnik GmbH Neudecker Str. 11 83512 Wasserburg

issued by

Dipl.Ing.(FH) Hans Schnellhammer

Wasserburg, 21.02.2019

M. S.M.



Reference system for intended use

The multi functional modules EXDUL-381E and EXDUL-381S are not stand-alone devices. The CE-conformity only can be assessed when using additional computer components simultaneously. Thus the CE conformity only can be confirmed when using the following reference system for the intended use of the multi functional modules:

Control Cabinet:	Vero IMRAK 3400	804-530061C 802-563424J 802-561589J
19" Casing:	Vero PC-Casing	145-010108L
19" Casing:	Additional Electronic	519-112111C
Motherboard:	GA-586HX	PIV 1.55
Floppy-Controller:	on Motherboard	
Floppy:	TEAC	FD-235HF
Grafic Card:	Advantech	PCA-6443
Interface:	EXDUL-381E EXDUL-381S	A-381772 A-381760